



USER MANUAL – EN

IN 27263 Scooter inSPORTline Parduber

IN 27264 Scooter inSPORTline Olmina

CONTENTS

- SAFETY INSTRUCTIONS..... 3
- ASSEMBLY 5
 - HANDLEBAR ASSEMBLY..... 5
 - REAR FENDER ATTACHMENT..... 6
 - STAND ASSEMBLY 8
 - WHEEL ASSEMBLY..... 8
 - INSTALLATION AND ADJUSTMENT OF BRAKES..... 9
- USE 10
- RIDING TECHNIQUE 10
- CLEANING AND MAINTENANCE 10
- STORAGE 11
- ENVIRONMENT PROTECTION 11
- TERMS AND CONDITIONS OF WARRANTY, WARRANTY CLAIMS..... 11

SevenSport s.r.o. reserves the right to make any changes and improvements to its product without prior notice. Visit our website www.insportline.eu where you will find the latest version of the manual.

SAFETY INSTRUCTIONS

- Read the manual carefully and keep it for future reference.
- The scooter is designed to carry one person at the same time.
- Use protective equipment - helmet and knees, elbows and wrists protectors.
- Use sports shoes to ride the scooter. Do not ride barefoot or in open shoes. Be careful not to get the strings tangled in the wheels.
- Ride the scooter only in safe places, i.e. on a flat, clean and dry surface with enough free space without any obstacles, stones or gravel. Do not ride the scooter on public roads for motor vehicles.
- Children can only use the scooter under the supervision of an adult.
- Do not ride on dangerous or ineligible roads.
- Before the first ride, try to control the scooter in the open spaces. If you are not sure, ask a more experienced person for advice.
- Avoid dangerous maneuvers or one-hand steering while riding.
- When riding, keep both feet on the footboard.
- Do not drive directly over an obstacle higher than 3 cm, otherwise you can lose balance and cause yourself injury or damage to the product.
- On uneven or bumpy roads, slow down and ride with caution. Do not endanger yourself or others by careless riding.
- Before riding, it is necessary to set the correct handlebar height for your safety.
- Before riding, check the correct adjustment of the control system, tightening of all screws and clamping levers, securing of the folding mechanism and snapping of the safety, fastening of the handles, fastening and operation of the wheels. All parts must be properly secured and must not show signs of mechanical damage.
- After finishing the use, check the condition of the parts (especially the connected parts) again and make sure that they are not loosened, broken, soiled by dirt, oil and do not show signs of wear. The scooter must be fully functional before each ride.
- Do not ride into the water, oil or on frozen surfaces.
- Do not ride the scooter in reduced visibility (at night or darkness) or in wet or freezing weather.
- Always make sure that you do not violate local regulations and laws before using the product. The use of these and similar devices is not permitted everywhere. If in doubt, contact your local authorities.
- Check that all parts are well held, and the screws are not loosened. Ex. tighten them or contact a service center.
- Unauthorized modifications or maintenance will reduce the safety of the equipment.
- Improper use can lead to serious (fatal) injury or damage.
- Check the product regularly for wear. Replace worn parts immediately.
- Do not use a damaged product. Do not use the product if sharp edges appear.
- Follow the manual for maintenance and use. Do not disassemble the device yourself.
- The device is for personal use only. Commercial use is not allowed.

- Be careful while riding. Never ride after drinking alcohol or under the influence of drugs. Do not carry anything on the device.
- Always keep the speed under control and be careful. Keep good vision around the area. Do not exceed weight limit to avoid injury.
- Keep your feet relaxed and your knees slightly bent when riding on an uneven surface.
- In the event of an accident, do not leave and wait for assistance.
- When riding in a group, keep a sufficient distance to avoid collision.
- Remember that your current height is greater when standing on the scooter than without it. Try to keep your balance and avoid too narrow places.
- Other activities (phoning, listening to music) can significantly reduce your riding attention. Don't be distracted.
- Check the condition of the tires regularly. Replace worn out immediately.
- Avoid wet surfaces, sand, gravel, speed bumps and other obstacles that could cause the front wheel to lock. It is particularly dangerous to cross speed bumps, so it is always better to avoid them.
- Do not ride on roads for motor vehicles and pay attention to nearby pedestrians, cyclists, skateboarders and scooter riders. Use the scooter only in safe places without any obstacles. Poles, curbs, hydrants, parked vehicles and surrounding vehicles can endanger safety.
- This scooter is not intended for riding over obstacles, jumping, riding on uneven surfaces (paving blocks, dirt roads, etc.). Defects caused by improper use of the product cannot be claimed.
- When riding downhill, the braking distance is extended, and the degree of safety is reduced. The rider must always move at such a speed that he is able to stop in time and safely.
- The speed reduction mechanism becomes hot due to continuous use, and should not be touched after braking. There is a risk of burns.
- • Assembly must only be performed by an adult.
- • Minimum rider height: 125 cm
- Weight limit: 120 kg
- **WARNING:** IF YOU RIDE WITHOUT COMMON SENCE AND DO NOT OBEY SAFETY INSTRUCTIONS, YOU ICREASE THE RISK OF INJURY. YOU USE SCOOTER ON YOUR OWN RISK, FOLLOW ALL SAFETY INSTRUCTIONS. RIDE CAREFULLY.

ASSEMBLY

HANDLEBAR ASSEMBLY

1. Turn the handlebars, the handlebars must point forward and be in line with the front wheel, stem and frame.



2. Tighten the 3x bolts A – B – B.



3. Loosen the 4 bolts on the stem.




4. Attach the handlebars as shown. Tighten the screws so that the handlebars do not move.




REAR FENDER ATTACHMENT

Release 5x marked bolts.



Attach the rear fender so that the marked holes are aligned.



Screw in bolt no. 1.



Screw bolts no. 2 – 3 – 4 – 5.



Check the tightness of all bolts.



Attach rear wheel.



STAND ASSEMBLY

If the stand leg is not attached, slide it in. desired length and then tighten the screw.



WHEEL ASSEMBLY

The washers (a) must be placed on the outside, between the frame and the nut (b). Make sure the wheel axle is centered and properly tightened.



During assembly, make sure that the rim is the entire length of the brake blocks.

Check tires regularly for condition, wear and inflation (35 PSI)

There should be 1.5 – 2 mm of free space between the rim and the blocks.

Insert the axle into the frame so that the rim is in line with the brake blocks. The washers (a) must be on the outside between the frame and the nut (b).




Insert the axle into the frame so that the rim is in line with the brake blocks. The washers (a) must be on the outside between the frame and the nut (b).



INSTALLATION AND ADJUSTMENT OF BRAKES

Press the brake shoes to loosen the cable as much as possible. Push the cable through the groove and fix the end (d) in the holder.



To adjust brake sensitivity, loosen nut (e) and adjust cable length. There must be 1.5 – 2 mm of free space between the brake blocks and the rim. After any modification, test the functionality of the brakes. If you are not sure about the adjustment, contact the service.

Caliper brake



(e)

"V" brake



(e)

USE

- Before use, make sure that all parts are properly assembled, tightened and not damaged.
- Check the brakes.
- Check that the folding mechanism is properly locked.
- Make sure the tires are in good condition.
- Check the handlebar. It must be properly tightened.
- Do not drive on slippery surfaces.
- Wear personal protective equipment including a helmet and a sturdy shoe.
- Do not use if outdoor conditions are poor.
- Moisture reduces braking efficiency.

RIDING TECHNIQUE

- Know the scooter before first use and test your ability to control this product.
- Turn continuously and brake safely having enough free space.
- Practice your first ride in an open area without obstacles.
- Never let distract your mind during riding.

Foot position – put your foot on the board as close to the front part as possible. Let your other foot on the ground. Make sure the route is clean and free. To start riding, push yourself forwards (like on a non-motorized scooter). Push off with the foot that is on the ground. Immediately after pressing the throttle downwards, tilt your body forwards as a prevention from falling back while increasing your speed. Avoid excessive body pressing on the handlebars during speed changing. One foot is at front and the second one is back. It is comfortable to place the feet like on a skateboard for optimal stability.

NOTE: Riding on a scooter can be dangerous. You use the product on your own responsibility and be familiar with all the safety precautions before riding.

Turning – it is the same as on a surf or snowboard. The handlebar should be parallel to the body. Before turning look at the approaching direction to be sure the operation is safe.

Braking – shift your weight backwards so that the braking is realized through your feet and not through handlebar and steering system. Learn well to adjust the gravity center during stopping to avoid turning over or excessive wearing of the braking and steering system

CLEANING AND MAINTENANCE

WARNING: Safety can only be guaranteed by proper maintenance.

- Clean the scooter with a damp cloth and a mild detergent.
- Do not use solvents or other aggressive cleaning agents.
- Do not use high-pressure cleaners.
- If the tire pressure is low, inflate it.
- If you need to replace tires / inner tubes, please contact your specialist dealer or manufacturer.
- **Bearings:** Ensure that you are not riding on water, oil or sand, as damage to the bearings may occur. To keep the bearings in good condition, check regularly that the wheels are rotating correctly - turn the scooter and turn the wheel with your fingers. If they do not rotate, they must be removed and verified. First unscrew the wheel axle, take out the axle, take apart the wheel and gently push out both bearings. If they are broken or compressed, you need to buy new ones. If no damage is visible, they must be oiled. In this case, remove any grease, dirt or dust

from the bearings using a paper towel or cloth, lubricate the bearings with a self-lubricating spray or grease. Attach the bearings, axles and wheels on the scooter. In the same way continue with the other wheel.

- **Wheels:** Wheels are worn or can be rusted if they are often used on a rough surface. In particular, the rear wheel that is used for braking. It is recommended to check them regularly and replace them for safety purposes.
- **Product modifications:** The original product cannot be modified, except if the modification is mentioned in this maintenance manual.
- **Nuts, axles and other self-locking clamping systems:** It is recommended to check them regularly. They may be either loosen after a while, in which case they need to be tightened again or lose their effectiveness, in which case they should be replaced as new ones.

STORAGE

- Store in a dry and shady place.
- Avoid storage if the room temperature exceeds 50 ° C.

ENVIRONMENT PROTECTION

After the product lifespan expired or if the possible repairing is uneconomic, dispose it according to the local laws and environmentally friendly in the nearest scrapyard.

By proper disposal you will protect the environment and natural sources. Moreover, you can help protect human health. If you are not sure in correct disposing, ask local authorities to avoid law violation or sanctions.

TERMS AND CONDITIONS OF WARRANTY, WARRANTY CLAIMS

General Conditions of Warranty and Definition of Terms

All Warranty Conditions stated here under determine Warranty Coverage and Warranty Claim Procedure. Conditions of Warranty and Warranty Claims are governed by Act No. 89/2012 Coll. Civil Code, and Act No. 634/1992 Coll., Consumer Protection, as amended, also in cases that are not specified by these Warranty rules.

The seller is SEVEN SPORT s.r.o. with its registered office in Strakonická street 1151/2c, Prague 150 00, Company Registration Number: 26847264, registered in the Trade Register at Regional Court in Prague, Section C, Insert No. 116888.

According to valid legal regulations it depends whether the Buyer is the End Customer or not.

“The Buyer who is the End Customer” or simply the “End Customer” is the legal entity that does not conclude and execute the Contract in order to run or promote his own trade or business activities.

“The Buyer who is not the End Customer” is a Businessman that buys Goods or uses services for the purpose of using the Goods or services for his own business activities. The Buyer conforms to the General Purchase Agreement and business conditions.

These Conditions of Warranty and Warranty Claims are an integral part of every Purchase Agreement made between the Seller and the Buyer. All Warranty Conditions are valid and binding, unless otherwise specified in the Purchase Agreement, in the Amendment to this Contract or in another written agreement.

Warranty Conditions

Warranty Period

The Seller provides the Buyer a 24 months Warranty for Goods Quality, unless otherwise specified in the Certificate of Warranty, Invoice, Bill of Delivery or other documents related to the Goods. The legal warranty period provided to the Consumer is not affected.

By the Warranty for Goods Quality, the Seller guarantees that the delivered Goods shall be, for a certain period of time, suitable for regular or contracted use, and that the Goods shall maintain its regular or contracted features.

The Warranty does not cover defects resulting from (if applicable):

- User's fault, i.e. product damage caused by unqualified repair work, improper assembly
- Improper maintenance
- Mechanical damages
- Regular use (e.g. wearing out of rubber and plastic parts, moving mechanisms, joints, wear of brake pads/blocks, tires etc.)
- Unavoidable event, natural disaster
- Adjustments made by unqualified person
- Improper maintenance, improper placement, damages caused by low or high temperature, water, inappropriate pressure, shocks, intentional changes in design or construction etc.

Warranty Claim Procedure

The Buyer is obliged to check the Goods delivered by the Seller immediately after taking the responsibility for the Goods and its damages, i.e. immediately after its delivery. The Buyer must check the Goods so that he discovers all the defects that can be discovered by such check.

When making a Warranty Claim the Buyer is obliged, on request of the Seller, to prove the purchase and validity of the claim by the Invoice or Bill of Delivery that includes the product's serial number, or eventually by the documents without the serial number. If the Buyer does not prove the validity of the Warranty Claim by these documents, the Seller has the right to reject the Warranty Claim.

If the Buyer gives notice of a defect that is not covered by the Warranty (e.g. in the case that the Warranty Conditions were not fulfilled or in the case of reporting the defect by mistake etc.), the Seller is eligible to require a compensation for all the costs arising from the repair. The cost shall be calculated according to the valid price list of services and transport costs.

If the Seller finds out (by testing) that the product is not damaged, the Warranty Claim is not accepted. The Seller reserves the right to claim a compensation for costs arising from the false Warranty Claim.

In case the Buyer makes a claim about the Goods that is legally covered by the Warranty provided by the Seller, the Seller shall fix the reported defects by means of repair or by the exchange of the damaged part or product for a new one. Based on the agreement of the Buyer, the Seller has the right to exchange the defected Goods for a fully compatible Goods of the same or better technical characteristics. The Seller is entitled to choose the form of the Warranty Claim Procedures described in this paragraph.

The Seller shall settle the Warranty Claim within 30 days after the delivery of the defective Goods, unless a longer period has been agreed upon. The day when the repaired or exchanged Goods is handed over to the Buyer is considered to be the day of the Warranty Claim settlement. When the Seller is not able to settle the Warranty Claim within the agreed period due to the specific nature of the Goods defect, he and the Buyer shall make an agreement about an alternative solution. In case such agreement is not made, the Seller is obliged to provide the Buyer with a financial compensation in the form of a refund.

**CZ
SEVEN SPORT s.r.o.**

Registered Office: Strakonická 1151/2c, Praha 5, 150 00,
ČR
Headquarters: Dělnická 957, Vítkov, 749 01
Warranty & Service: Čermenská 486, Vítkov 749 01
CRN: 26847264
VAT ID: CZ26847264

About shipping

Phone: +420 556 300 970
E-mail: eshop@insportline.cz
reklamace@insportline.cz
servis@insportline.cz

Web: www.inSPORTline.cz

SK
inSPORTline s.r.o.

Headquaters, warranty & service center: Električná 6471,
Trenčín 911 01, SK

CRN: 36311723
VAT ID: SK2020177082

Phone: +421(0)326 526 701
E-mail: objednavky@insportline.sk
reklamacie@insportline.sk
servis@insportline.sk

Web: www.inSPORTline.sk

